

**SAFETY DATA SHEET**

**1. Product and Company Identification**

<b>Product Name</b>	<b>PURE BREEZE AIR FRESHENER</b>
<b>Product Number</b>	<b>253</b>
<b>Product Type</b>	Mixture
<b>Product Use</b>	Air Freshener
<b>Manufacturer/Supplier</b>	National Purity, LLC. 6840 Shingle Creek Parkway, Suite #23 Brooklyn Center, MN 55430
<b>Company Contact</b>	612-672-0022
<b>Emergency Telephone Number</b>	1-800-255-3924
<b>Email</b>	customerservice@nationalpurity.com

**2. Hazards Identification**

**GHS Classification in accordance with 29 CFR 1910 OSHA HCS**

- Acute Toxicity, Oral (Category 4) H302
- Skin Damage (Category 3) H314
- Skin Irritation (Category 3) H316
- Eye Damage (Category 3) H318
- Eye Irritation (Category 2B) H319

**GHS Label elements, including precautionary statements**

**Pictogram**



**Signal word**

Warning

**Hazard Statements**

- H302
- H316
- H318
- H319
- H335

- Harmful if swallowed**
- Causes mild skin irritation**
- Causes serious eye damage**
- Causes serious eye irritation**
- May cause respiratory irritation**

**Precautionary Statements**

**Prevention**

- P264
- P270
- P280
- P261
- P273

- Wash hands thoroughly after handling.**
- Do not eat, drink, or smoke when using this product.**
- Wear protective gloves/protective clothing/eye protection/face protection.**
- Avoid breathing mist/vapors/spray.**
- Avoid release to the environment.**

**Response**

(612) 672-0022

P301+P312+P330	<b>IF SWALLOWED, immediately call a POISON CENTER/doctor. DO NOT INDUCE VOMITING. Rinse mouth with water.</b>
P332+P313	<b>If skin irritation occurs, get medical attention</b>
P305+P351+P337+P313	<b>IF IN EYES, rinse cautiously for several minutes. Remove contact lenses if present. Continue rinsing. If eye irritation persists, Get medical advise and attention</b>
P304+P340+P312	<b>IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</b>
<b>Storage/Disposal</b> P501	<b>Dispose of contents/container in accordance with local/regional/federal regulations.</b>

### 3. Composition/Information on Ingredients

The following are criteria for listing components in this section: Ingredients that meet the criteria for carcinogenic, toxic to reproduction, or specific target organ toxicity and components otherwise considered hazardous according to OSHA which exceed the cut off limits for SDS specified by the criteria for mixtures are listed. Nonhazardous components are not listed. This is not a composition disclosure. Exact percentages are considered proprietary and a trade secret.

Hazardous Components	CAS#	Classification	%
Alcohols, C9-C11, ethoxylated	68439-46-3	H302, H318	1-5%
Sodium xylene sulfonate	1300-72-7	H319	< 1%
2-Phenoxyethanol	122-99-6	H316, H319	1-5%
Isopropanol	67-63-0	H225, H319, H336	1-5%
2-Methoxymethylethoxy propanol	34590-94-8	H227, H335	0.5-1.5 %

### 4. First Aid Measures

#### Description of First Aid Procedures

<b>General Advice</b>	Consult a physician. Show this SDS to the doctor.
<b>In Case of Eye Contact</b>	Flush with cool running water for 15 minutes. Remove contact lenses if present. Get immediate medical attention.
<b>In Case of Skin Contact</b>	Rinse thoroughly with cool running water. Remove contaminated clothing. Get medical attention if irritation persists.
<b>If Ingested</b>	Rinse mouth with water. <b>Do not induce vomiting.</b> Obtain immediate medical attention. Never give anything by mouth to an unconscious person.
<b>If Inhaled</b>	Move person to fresh air. If breathing difficulty persists, consult a physician.
<b>Notes to Physician</b>	Symptoms may be delayed.
<b>General advice</b>	Seek medical attention if feeling unwell. Show the SDS to the physician in attendance.

### 5. Fire-fighting Measures

<b>Flammable properties</b>	None
<b>Extinguishing media</b>	Use methods appropriate to the source of the fire.
<b>Protection of firefighters</b>	Firefighters should wear protective clothing including self-contained breathing apparatus

(612) 672-0022

**Hazardous combustion products**  
**Unusual Fire, Explosion hazards**

May include and not limited to oxides of carbon, and nitrogen.  
 Containers may melt or rupture from heat of fire. May form combustible mixtures with air when heated.

## 6. Accidental Release Measures

### Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled containers unless wearing protective Clothing.

### Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers.

### Methods for cleaning up

Before attempting clean up, refer to hazard data given above.  
 Small spills may be mopped up and rinsed.  
 Large spills, dike area to prevent from spreading. Absorb with non-reactive absorbent and place in suitable, covered, and labeled container. Rinse area with water. Never return spill to original container.

### Environmental precautions

Avoid spills. Keep out of waterways. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system

## 7. Handling and Storage

### Precautions for Safe Handling

Use good industrial hygiene practices when handling this material. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse.

### Conditions for Safe Storage

Keep container closed when not in use. Keep out of reach of children.

## 8. Exposure Controls and Personal Protection

### Exposure Limits

Ingredients	CAS#	OSHA PEL	ACGIH TLV
Alcohols, C9-C11, ethoxylated	68439-46-3	N/A	N/A
Sodium xylene sulfonate	1300-72-7	N/A	N/A
2-Phenoxyethanol	122-99-6	N/A	N/A
Isopropanol	67-63-0	400 ppm	400ppm (TWA)
2-Methoxymethylethoxy propanol	34590-94-8	100 ppm	100 ppm (TWA)

### Engineering controls

General ventilation normally adequate.

### Personal protective equipment

#### Eye/Face protection

Wear goggles or safety glasses with side shields if splash conditions exist.  
 Have suitable eye wash water available.

#### Hand protection

Wear impermeable gloves to prevent contact with skin.

#### Skin and body

As required by employer code.

#### Respiratory protection

Use a NIOSH approved respirator when exposure guidelines are exceeded.

#### General hygiene considerations

Handle in accordance with good industrial hygiene practices. Do not eat or drink when using product. Wash hands well before breaks and immediately after handling the product.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Appearance/form</b>	Clear liquid
<b>Color</b>	Dark blue-green (concentrate); blue-green (dilution)
<b>Odor</b>	Tropical
<b>Odor threshold</b>	Not established
<b>pH</b>	6.50-7.50 (concentrate); 7.50-8.50 (dilution)
<b>Melting/freezing point</b>	Not established
<b>Initial Boiling point</b>	~ 212° F (100° C)
<b>Flash point</b>	Not established
<b>Evaporation rate</b>	Not established
<b>Flammability</b>	Not flammable
<b>Upper/lower flammability or</b>	Not applicable
<b>Explosive limits</b>	
<b>Vapor pressure</b>	Not established
<b>Vapor density</b>	Not established
<b>Specific gravity/density</b>	1.00-1.04
<b>Solubility in water</b>	Complete
<b>VOC</b>	< 3.00%
<b>% Volatile</b>	Not established

### Other Safety Information

## 10. Stability and Reactivity

<b>Reactivity</b>	Not reactive under normal use or storage.
<b>Chemical Stability</b>	Stable under normal storage conditions. If products gets frozen, allow to sit in room temperature until it thaws, then mix well.
<b>Hazardous reactions</b>	None known.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Strong acids, alkalis, strong oxidizing agents.
<b>Hazardous decomposition products</b>	May include but not limited to oxides of carbon, and nitrogen.
<b>Hazardous polymerization</b>	Will not occur

## 11. Toxicological Information

<b>Ingredients</b>	<b>LC50</b>
Alcohols, C9-C11, ethoxylated	11 mg/l, 96 h (Fathead minnow)
Sodium xylene sulfonate	No data available
2-Phenoxyethanol	No data available
Isopropanol	No data available
2-Methoxymethylethoxy propanol	919 mg/l, 48 h (Daphnia magna)
<b>Ingredients</b>	<b>LD50</b>
Alcohols, C9-C11, ethoxylated	> 4000 mg/kg Acute oral (Rat)
Sodium xylene sulfonate	No data available
2-Phenoxyethanol	No data available
Isopropanol	No data available

(612) 672-0022

2-Methoxymethylethoxy propanol 5350 mg/kg Acute oral (Rat), 9500 mg/kg Acute dermal (Rabbit)

<b>Eye</b>	Causes eye irritation.
<b>Skin</b>	May cause mild skin irritation.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Inhalation</b>	May cause respiratory irritation of nose and throat.
<b>Sensitization</b>	Nonhazardous.
<b>Chronic effects of short and long Term exposure</b>	Prolonged exposure to skin may cause drying, defatting and irritation.
<b>Carcinogenicity</b>	Does not contain ingredients considered carcinogenic by NTP, or OSHA.
<b>Mutagenicity</b>	Nonhazardous.
<b>Reproductive effects</b>	Nonhazardous.
<b>Teratogenicity</b>	Nonhazardous.

## 12. Ecological Information

**Eco-toxicity** Ecological effects for this product have not been analyzed. However, if spilled this product's ingredients are harmful to aquatic life and may have long lasting effects.

Alcohols, C9-C11, ethoxylated	EC50 (Daphnia magna): 12 mg/l, 48 h
Sodium xylene sulfonate	No data available
2-Phenoxyethanol	No data available
Isopropanol	No data available
2-Methoxymethylethoxy propanol	No data available

<b>Environmental effects</b>	Not Available
<b>Aquatic toxicity</b>	Not Available
<b>Persistence and Degradability</b>	Readily Biodegradable
<b>Bioaccumulation/accumulation</b>	Not Available
<b>Partition coefficient</b>	Not Available
<b>Mobility in environmental media</b>	Will likely be mobile in the environment due to its water solubility
<b>Chemical fate information</b>	Not Available
<b>Other adverse effects</b>	Not Available

## 13. Disposal Considerations

<b>Waste codes</b>	Not Available
<b>Disposal instructions</b>	Dispose in accordance with local, state, and federal regulations
<b>Wastes from residues/unused product</b>	Containerize. Rinse area with water. Keep out of storm sewer/waterways.
<b>Contaminated packaging</b>	Dispose in accordance with all applicable regulations.

## 14. Transport Information

<b>Basic shipping requirements:</b>	Not DOT Regulated
<b>Proper shipping name:</b>	N/A
<b>Hazard class</b>	N/A
<b>UN number</b>	N/A
<b>Packing group</b>	N/A

(612) 672-0022

**Special provisions** N/A  
**Packaging exceptions** N/A

## 15. Regulatory Information

---

<b>U.S federal regulations</b>	This product has been classified in accordance with the Occupational Safety and Health Administration hazard criteria and the SDS contains all the information required by OSHA. HCS 2012	
<b>TSCA</b>	All ingredients are commercially available and presumed to be listed by manufacturer	
<b>CERCLA Super Fund 40 CFR 117.302</b>	Product does not contain materials with Reportable Quantities (RQ)	
<b>SARA Title III Section 311&amp;312</b>	Immediate (Acute) Health Hazard: Alcohols, C9-C11, ethoxylated (CAS #: 68439-46-3), Sodium xylene sulfonate (CAS #: 1300-72-7), Isopropanol (CAS #: 67-63-0) Fire Hazard: Isopropanol (CAS #: 67-63-0)	
<b>SARA Title III Section 313</b>	None of the ingredients listed in Section 2 are subject to the reporting requirements of section 313 of Title III SARA.	
<b>Warning CA Proposition 65</b>	This product does not contain chemicals known to the state of California to cause cancer, reproductive defects, or birth defects.	
<b>States Right to Know</b>	<p><b>Pennsylvania Right to Know:</b> 2-Methoxymethylethoxy propanol (CAS #: 34590-94-8), Isopropanol (CAS #: 67-63-0)</p> <p><b>Massachusetts Right to Know:</b> 2-Methoxymethylethoxy propanol (CAS #: 34590-94-8), Isopropanol (CAS #: 67-63-0)</p> <p><b>New Jersey Right to Know:</b> 2-Methoxymethylethoxy propanol (CAS #: 34590-94-8), Isopropanol (CAS #: 67-63-0)</p> <p><b>Rhode Island Right to Know:</b> N/A</p>	
<b>Inventory Status</b>	<b>Inventory Name</b>	<b>On Inventory (Yes/No)*</b>
<b>Countries</b>		
U.S.	CIL	Yes
Canada	DSL	Yes
<ul style="list-style-type: none"> <li>A "Yes" indicates that all the components of this product comply with the inventory requirements administered by the governing country(s) listed.</li> </ul>		

## 16. Other Information

---

**HMIS RATING**  
 HMIS Legend

(612) 672-0022

Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	2
Flammability	1
Reactivity	0
Personal Protection	B

**Disclaimer**

To the best of our knowledge, the information included herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Issue date**  
**Supersedes date**  
**Reason for Update**

June 22, 2022  
Previous issues  
New Product