

SAFETY DATA SHEET

1. Product and Company Identification

Product Name SWIFT SEALER

Product Number 430
Product Type Mixture

Product Use Spray wax for auto car washes

Manufacturer/Supplier National Purity

6840 Shingle Creek Parkway, Suite #23

Brooklyn Center, MN 55430

Company Contact 612-672-0022 **Emergency Telephone Number** 1-800-255-3924

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910 OSHA HCS

Flammable liquid, (Category 3) H226

Acute toxicity, Oral (Category 4) H302, H332

Skin irritation, (Category 2) H312 Eye irritation, (Category 2/2A) H319 Respiratory irritation (Category 4) H332 Acute aquatic toxicity, (Category 3) H402 Chronic aquatic toxicity, (Category 3) H412

GHS Label elements, including precautionary statements

Pictogram





Signal word Danger

Hazard Statements

H226 Flammable liquid and vapor
H302 Harmful if swallowed.
H312 Causes skin irritation.
H319 Causes serious eye irritation.
H323 Harmful if inheled

H332 Harmful if inhaled. H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces and other sources of

ignition. No smoking.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing mist/vapors/spray.
P273 Avoid release to the environment.

Response

P370+P378 In case of fire, use procedures proper for the primary source of the fire.

P302+P352 IF ON SKIN, wash thoroughly with soap and water and rinse with plenty of water.

P312 Call a POISON CENTER/doctor if irritation occurs or if feeling unwell.

11/01/2021 Page 1 of 6





P362+P364 Take off contaminated clothing and wash before reuse.

P301+P312+P330 IF SWALLOWED, immediately call a POISON CENTER/doctor. DO NOT

INDUCE VOMITING. Rinse mouth with water.

P305+P351+P337+P313 IF IN EYES, rinse cautiously for several minutes. Remove contact lenses if

present. Continue rinsing. If eye irritation persists, Get medical advice and

attention

IF INHALED: remove person to fresh air and keep comfortable for breathing. P304+P340+P312

Call a POISON CENTER/doctor if having difficulty breathing or feeling unwell.

Storage/Disposal

P403+P235+P340 Store in a well ventilated place. Keep cool. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/federal

regulations.

.3. Composition/Information on Ingredients

The criteria for listing components in this section are: Ingredients that meet the criteria for carcinogenic, toxic to reproduction, or specific target organ toxicity and components otherwise considered hazardous according to OSHA which exceed the cut off limits for SDS specified by the criteria for mixtures are listed. Non hazardous components are not listed. This is not a composition disclosure. Exact percentages are considered proprietary and a trade secret.

Hazardous Components	CAS#	Classification	%
Distillates, petroleum, hydrotreated	64742-46-7	H302, H332	10-15%
middle			
Dicoco alkyldimethyl chlorides	61789-77-3	H302, H319, H401, H413	6-10%
2-Butoxyethanol	111-76-2	H227, H315, H320, H335	6-10%
Isopropyl alcohol	67-63-0	H225, H319	1-5%
C14-C18 Alkylamine ethoxylate	68155-39-5	H303, H319	1-5%
Citronella	8000-29-1	H227, H314	0-1%

4. First Aid Measures

Description	of	First	Aid	Procedures

General Advice Consult a physician. Show this SDS to the doctor.

Flush with cool running water for 15 minutes. Remove contact lenses if present. In Case of Eve Contact

Get immediate medical attention.

Wash with soap and water and rinse thoroughly with cool running water. Remove In Case of Skin Contact

contaminated clothing. Get immediate medical attention if irritation persists.

Rinse mouth with water. **Do not induce vomiting.** Obtain immediate If Ingested

> medical attention. Never give anything by mouth to an unconscious person. Move person to fresh air. If breathing difficulty persists, consult a physician.

If Inhaled **Notes to Physician** Symptoms may be delayed.

General advice Seek medical attention if feeling unwell. Show the SDS to the physician in

attendance.

5. Fire-fighting Measures

Flammable properties Flammable.

Extinguishing media Use dry chemical, foam, carbon dioxide or water fog.

Protection of firefighters Firefighters should wear protective clothing including self contained breathing

apparatus

Hazardous combustion products

Unusual Fire, Explosion hazards

May include and not limited to oxides of carbon, and nitrogen, organic amines, hydrogen chloride, methyl chloride, and various unknown organic compounds.

Containers may melt or rupture from heat of fire. May form combustible mixtures with air when heated. Water or foam may cause frothing which can be violent if

sprayed into containers of hot, burning liquid.

11/01/2021 Page 2 of 6



6. Accidental Release Measures

Personal precautions Keep unnecessary personal away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled containers unless wearing protective

Methods for containment Methods for cleaning up

Stop leak if you can do so without risk. Prevent entry into waterways, sewers. Before attempting clean up, refer to hazard data given above. Eliminate all nearby

sources of ignition and extinguish nearby heat sources and open flames.

Small spills, absorb or cover with dry earth, sand, or other inert non combustible

absorbent material and place in waste containers for disposal.

Large spills, dike area to prevent from spreading. If possible, pump liquid to disposal containers. Remaining liquid can be treated as a small spill and absorbed with suitable non combustible material and placed into disposal containers.

Environmental precautions Avoid spills. Keep out of waterways.

7. Handling and Storage

Use good industrial hygiene practices when handling this material. Avoid contact **Precautions for Safe Handling**

with eyes, skin and clothing. Wash contaminated clothing before reuse.

Conditions for Safe Storage Keep container closed when not in use. Keep out of reach of children. Keep away from heat or sources of ignition. Store locked up. Empty containers may contain

product resdue that can ignite with explosive force. Drain and purge containers to

remove material residues.

8. Exposure Controls and Personal Protection

Exposure Limits			
Ingredients	CAS#	OSHA PEL	ACGIH TLV
Distillates, petroleum,	64742-46-7	TWA: 5mg/m ³ 8 hours	STEL: 10mg/m ³ 15
Hydrotreated, middle			minutes
Dicoco alkyldimethyl chlorides	61789-77-3	Not available	Not available
Isopropyl alcohol	67-63-0	400ppm TWA, 980mg/m ³ PEL	Not available
C14-C18 Alkylamine ethoxylate	68155-39-5	Not available	Not available
2-Butoxyethanol	111-76-2	Not available	Not available

Engineering controls Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of mists and vapors below the recommended exposure limits. Personal protective equipment

Eye/Face protection Wear goggles or safety glasses with side shields if splash conditions exist. Have suitable eye wash water available.

Hand protection Wear impermeable gloves to prevent contact with skin.

Skin and body As required by employer code.

Respiratory protection Use a NIOSH approved respirator when exposure guidelines are exceeded. General hygiene considerations

Handle in accordance with good industrial hygiene practices. Do not eat or drink

when using product. Wash hands well before breaks and immediately after

handling the product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance/form Clear liquid Color Yellow Odor Lemon

Odor threshold Not established pH 8.0-8.5 (concentrate)

11/01/2021 Page 3 of 6





Melting/freezing pointNot establishedInitial Boiling point $\approx 212^{\circ} \, \text{F.} \, (100^{\circ} \, \text{C.})$ Flash point $54^{\circ} \, \text{F.} \, (12^{\circ} \, \text{C.}) \, \text{CC}$ Evaporation rateNot establishedFlammabilityFlammableUpper/lower flammability orNot established

Explosive limits

Vapor pressure< 0.6 (mm Hg)Vapor density4-8 (air = 1)Specific gravity/density ≈ 0.94 Solubility in waterDispersibleVOC< 10%% VolatileApprox. 85%

Other Safety Information

10. Stability and Reactivity

Reactivity

Chemical Stability Stable under normal storage conditions.

Hazardous reactions None known.

Conditions to avoid Heat, sparks or open flame. Do not mix with other chemicals.

Incompatible materials Strong acids, alkalis, strong oxidizing agents.

Hazardous decomposition products May include but not limited to oxides of carbon, and nitrogen.

Hazardous polymerization Will not occur

11. Toxicological Information

Ingredients LC50

Distillates, petroleum, hydrotreated middle Not available Dicoco alkyldimethyl chloride Not available

Isopropyl alcohol 16000 ppm (inhalation-rat 8 hours)

C14-C18 Alkylamine ethoxylate Not available 2-Butoxyethanol Not available

Ingredients LD50

Distillates, petroleum, hydrotreated middle

5000 mg/kg (oral-rat), > 2000 mg/kg (dermal-rabbit)

960 mg/kg (oral-rat) based on data for similar material

5,045 mg/kg (oral-rat), 12,800 mg/kg (dermal-rabbit)

C14-C18 Alkylamine ethoxylate Not available 2-Butoxyethanol Not available

Eye Causes severe eye irritation **Skin** Causes serious skin irritation.

Ingestion Harmful if swallowed. May cause corrosive damage to mouth, throat and stomach.

Can cause nausea, vomiting, abdominal pain, hypotension, weakness and

unconsciousness.

Inhalation Harmful if inhaled. Causes irritation of mucous membranes. Over exposure can

cause unconsciousness and death.

Sensitization Nonhazardous.

Chronic effects of short and long

Carcinogenicity

Term exposure

Prolonged exposure to skin may cause drying, defatting and irritation.

Does not contain ingredients considered carcinogenic by NTP, or OSHA. IARC

Group 3 Not classifiable as to its carcinogenicity to humans (isopropanol)

Mutagenicity Nonhazardous.

Reproductive effectsNonhazardous.TeratogenicityNonhazardous.

11/01/2021 Page 4 of 6





12. Ecological Information

Eco-toxicity Ecological effects for this product have not been analyzed. However, if spilled this

products ingredients are harmful to aquatic life and may have long lasting effects.

Dicoco alkyldimethyl chloride EC50-Algae 0.06 mg/l -72 hours

Isopropyl alcohol, LC50- Pimephales promelas (fathead minnow) - 9,640 mg/l -24 hours

EC50-Daphnia magna (water flea) 5,102 mg/l 24 hour

EC50-Algae > 1000 mg/l - 24 hour

Environmental effects
Aquatic toxicity
Persistence and Degradability
Bioaccumulation/accumulation
Not Available
Not Available

Partition coefficientNot AvailableMobility in environmental mediaNot AvailableChemical fate informationNot Available

Other adverse effects

Not Available

13. Disposal Considerations

Waste codes Not Available

Disposal instructions Dispose in accordance with local, state, and federal regulations

Wastes from residues/unused Containerize. Rinse area with water. Keep out of storm sewer/waterways.

product

Contaminated packaging Dispose in accordance with all applicable regulations.

14. Transport Information

Basic shipping requirements:

Proper shipping name: Flammable liquid, corrosive nos(contains Isopropyl alcohol, 2-Butoxyethanol,

Alkylamine ethoxylate) 3, UN2924, PGII

Hazard class 3 UN number 2924 Packing group II

Special provisions

Packaging exceptions None

15. Regulatory Information

U.S federal regulationsThis product has been classified in accordance with the Occupational Safety and

Health Administration hazard criteria and the SDS contains all of the

information required by OSHA. HCS 2012

TSCA All ingredients are listed on the Toxic Substances Control Act

CERCLA Super Fund 40CFR117.302 Product contains a material with a Reportable Quantity (RQ)

2-Butoxyethanol RQ = 5000 Lbs.

SARA Title III Section 311&312 Immediate (Acute) Health Hazard

SARA Title III Section 313 Isopropyl alcohol and 2-Butoxyethanol are subject to the reporting requirements

of section 313 of Title III SARA.

States Right to Know Reportable chemicals:

Petroleum distillates, Isopropanol, 2-Butoxy ethanol

11/01/2021 Page 5 of 6





Warning This product contains a chemical known to the state of California to cause cancer

(Methyl chloride <0.004%)

Inventory Status

CountriesInventory NameOn Inventory (Yes/No)*U.S.CILYesCanadaDSLYes

• A "Yes" indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed.

16. Other Information

HMIS RATING

HMIS Legend

Severe	4	Health	3
Serious	3	Flammability	3
Moderate	2	Reactivity	1
Slight	1	Personal Protection	В
Minimal	0		

Disclaimer

To the best of our knowledge, the information included herein is accurate. However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Issue date November 1, 2021
Supersedes date Previous issues

11/01/2021 Page 6 of 6