

SAFETY DATA SHEET

1. Product and Company Identification

Product Name	MOMENTUM PRESOAK
Product Number	420
Product Type	Mixture
Product Use	Alkaline Presoak for touchless car wash
Manufacturer/Supplier	National Purity, LLC. 6840 Shingle Creek Parkway, Suite #23 Brooklyn Center, MN 55430
Company Contact	612-672-0022
Emergency Telephone Number	1-800-255-3924
Email	customerservice@nationalpurity.com

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910 OSHA HCS

- Corrosive to Metals (Category 1) H290
- Skin Corrosion (Category 1B) H314
- Eye Damage (Category 1) H318
- Acute Toxicity, Oral (Category 4) H302
- Skin irritation, (Category 3) H314, H315
- Respiratory irritation (Category 3) H335

GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard Statements

- | | |
|------|--|
| H290 | May be corrosive to metals |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes mild skin irritation. |
| H335 | May cause respiratory irritation. |

Precautionary Statements

Prevention

- | | |
|------|---|
| P264 | Wash hands thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |

(612) 672-0022

P261	Avoid breathing mist/vapors/spray.
P273	Avoid release to the environment.
Response	
P301+P312+P330	IF SWALLOWED, immediately call a POISON CENTER/doctor. DO NOT INDUCE VOMITING. Rinse mouth with water.
P332+P313	If skin irritation occurs, get medical attention
P305+P351+P337+P313	IF IN EYES, rinse cautiously for several minutes. Remove contact lenses if present. Continue rinsing. If eye irritation persists, Get medical advice and attention
P304+P340+P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Storage/Disposal	
P501	Dispose of contents/container in accordance with local/regional/federal regulations.

3. Composition/Information on Ingredients

The following are criteria for listing components in this section: Ingredients that meet the criteria for carcinogenic, toxic to reproduction, or specific target organ toxicity and components otherwise considered hazardous according to OSHA which exceed the cut off limits for SDS specified by the criteria for mixtures are listed. Nonhazardous components are not listed. This is not a composition disclosure. Exact percentages are considered proprietary and a trade secret.

Hazardous Components	CAS#	Classification	%
Sodium metasilicate	10213-79-3	H290, H301, H314, H335	1-5%
Sulfonic acids, C14-16 alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	H315, H318	1-5%
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	119345-04-9	H318	1-5%
Nonylphenol polyethylene glycol ether	127087-87-0	H302, H315, H318	1-5%
2-Butoxyethanol	111-76-2	H227, H302, H304, H315, H319	1-5%
Tetrasodium ethylenediamine tetraacetate	64-02-8	H290, H315, H318, H332, H373	1-5%
Potassium hydroxide	1310-58-3	H290, H302, H314, H335	10-20%

4. First Aid Measures

Description of First Aid Procedures

General Advice	Consult a physician. Show this SDS to the doctor.
In Case of Eye Contact	Flush with cool running water for 15 minutes. Remove contact lenses if present. Get immediate medical attention.
In Case of Skin Contact	Rinse thoroughly with cool running water. Remove contaminated clothing. Get medical attention if irritation persists.
If Ingested	Rinse mouth with water. Do not induce vomiting. Obtain immediate medical attention. Never give anything by mouth to an unconscious person.
If Inhaled	Move person to fresh air. If breathing difficulty persists, consult a physician.
Notes to Physician	Symptoms may be delayed.

General advice

Seek medical attention if feeling unwell. Show the SDS to the physician in attendance.

5. Fire-fighting Measures

Flammable properties	None
Extinguishing media	Use methods appropriate to the source of the fire.
Protection of firefighters	Firefighters should wear protective clothing including self-contained breathing apparatus
Hazardous combustion products	May include and not limited to oxides of carbon, and nitrogen.
Unusual Fire, Explosion hazards	Containers may melt or rupture from heat of fire. May form combustible mixtures with air when heated.

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled containers unless wearing protective Clothing.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills, may be mopped up and rinsed. Large spills, dike area to prevent from spreading. Absorb with non reactive absorbent and place in suitable, covered, and labeled container. Rinse area with water. Never return spill to original container.
Environmental precautions	Avoid spills. Keep out of waterways. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system

7. Handling and Storage

Precautions for Safe Handling	Use good industrial hygiene practices when handling this material. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse.
Conditions for Safe Storage	Keep container closed when not in use. Keep out of reach of children.

8. Exposure Controls and Personal Protection

Exposure Limits	CAS#	OSHA PEL	ACGIH TLV
Ingredients			
Sodium metasilicate	10213-79-3	N/A	N/A
Sulfonic acids, C14-16 alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	N/A	N/A
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	119345-04-9	N/A	N/A
Nonylphenol polyethylene Glycol ether	127087-87-0	N/A	N/A
2-Butoxyethanol	111-76-2	N/A	20 ppm

(612) 672-0022

Tetrasodium ethylenediamine tetraacetate	64-02-8	N/A	N/A
Potassium hydroxide	1310-58-3	(Vacated) Ceiling: 2 mg/m3	Ceiling: 2 mg/m3

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Eye/Face protection

Wear goggles or safety glasses with side shields if splash conditions exist. Have suitable eye wash water available.

Hand protection

Wear impermeable gloves to prevent contact with skin.

Skin and body

As required by employer code.

Respiratory protection

Use a NIOSH approved respirator when exposure guidelines are exceeded.

General hygiene considerations

Handle in accordance with good industrial hygiene practices. Do not eat or drink when using product. Wash hands well before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance/form	Hazy liquid
Color	Milky white
Odor	Characteristic
Odor threshold	Not established
pH	13.5- > 14.0 (concentrate)
Melting/freezing point	Not established
Initial Boiling point	≈212° F. (100° C.)
Flash point	Not established
Evaporation rate	Not established
Flammability	Not flammable
Upper/lower flammability or	Not applicable
Explosive limits	
Vapor pressure	Not established
Vapor density	Not established
Specific gravity/density	1.16-1.20
Solubility in water	Complete
VOC	Not established
% Volatile	Not established
Other Safety Information	

10. Stability and Reactivity

Reactivity	Not reactive under normal use or storage.
Chemical Stability	Stable under normal storage conditions.
Hazardous reactions	None known.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Strong acids, alkalis, strong oxidizing agents.
Hazardous decomposition products	May include but not limited to oxides of carbon, and nitrogen.
Hazardous polymerization	Will not occur

11. Toxicological Information

Ingredients

LC50

Sodium metasilicate

No information available

Sulfonic acids, C14-16 alkane hydroxy and C14-16-alkene, sodium salt

(Danio rerio): 4.2 mg/l, 96 h

(612) 672-0022

Benzene, 1,1'-oxybis-, tetrapropylene derivs., sodium salts	(Bluegill sunfish): 6.2 mg/L, 96 h (Rainbow trout): 6.81 mg/L, 96 h
Nonylphenol polyethylene Glycol ether	No information available
2-Butoxyethanol	No information available
Tetrasodium ethylenediamine tetraacetate	> 100mg/L
Potassium hydroxide	No information available

Ingredients

LD50

Sodium metasilicate	847mg/kg Oral (Rat)
Sulfonic acids, C14-16 alkane hydroxy and C14-16-alkene, sodium salt	2310mg/kg Acute oral (Rat), > 6000mg/kg Acute dermal (Rabbit)
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sodium salts	> 2000mg/kg Acute oral (Rat), > 2000mg/kg Acute dermal (Rabbit)
Nonylphenol polyethylene Glycol ether	No information available
2-Butoxyethanol	745mg/kg Acute oral (Rat)
Tetrasodium ethylenediamine tetraacetate	3,030mg/kg Oral (Rat), > 5000mg/kg Dermal (Rabbit)
Potassium hydroxide	333-384mg/kg (Rat)

Eye	Causes eye irritation.
Skin	May cause mild skin irritation.
Ingestion	May be harmful if swallowed.
Inhalation	May cause respiratory irritation of nose and throat.
Sensitization	Nonhazardous.
Chronic effects of short and long Term exposure	Prolonged exposure to skin may cause drying, defatting and irritation.
Carcinogenicity	Does not contain ingredients considered carcinogenic by NTP, or OSHA.
Mutagenicity	Nonhazardous.
Reproductive effects	Nonhazardous.
Teratogenicity	Nonhazardous.

12. Ecological Information

Eco-toxicity	Ecological effects for this product have not been analyzed. However, if spilled this products ingredients are harmful to aquatic life and may have long lasting effects.
Sodium metasilicate	Not available
Sulfonic acids, C14-16 alkane hydroxy and C14-16-alkene, sodium salt	EC50 Cerodaphnia dubia: 4.53mg/l, 48 h
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	EC50: Green algae 42 mg/l, 21 days

(612) 672-0022

Nonylphenol polyethylene Glycol ether	No information available
2-Butoxyethanol	No information available
Tetrasodium ethylenediamine Tetraacetate	LC50 Fish: (Pimephales promelas) > 100mg/l, 96 h
Potassium hydroxide	No information available

Environmental effects	Not Available
Aquatic toxicity	Harmful to aquatic organisms
Persistence and Degradability	Readily Biodegradable
Bioaccumulation/accumulation	Not Available
Partition coefficient	Not Available
Mobility in environmental media	Will likely be mobile in the environment due to its water solubility
Chemical fate information	Not Available
Other adverse effects	Not Available

13. Disposal Considerations

Waste codes	Not Available
Disposal instructions	Dispose in accordance with local, state, and federal regulations
Wastes from residues/unused product	Contain. Rinse area with water. Keep out of storm sewer/waterways.
Contaminated packaging	Dispose in accordance with all applicable regulations.

14. Transport Information

Basic shipping requirements:	DOT Regulated
Proper shipping name:	UN3266 CORROSIVE LIQUID, Basic, Inorganic, N.O.S. (Contains Sodium Metasilicate, Potassium Hydroxide), 8, II
Hazard class	Class 8
UN number	UN3266
Packing group	II
Special provisions	N/A
Packaging exceptions	N/A

15. Regulatory Information

U.S federal regulations	This product has been classified in accordance with the Occupational Safety and Health Administration hazard criteria and the SDS contains all of the information required by OSHA. HCS 2012
TSCA	All ingredients are commercially available and presumed to be listed by manufacturer
CERCLA Super Fund 40 CFR 117.302	Product contains a material with a Reportable Quantity (RQ)
SARA Title III Section 311&312	Immediate (Acute) Health Hazard: Sulfonic acids, C14-16 alkane hydroxy and C14-16-alkene, sodium salts (CAS #: 68439-57-6), Benzene, 1,1'-oxybis-,

(612) 672-0022

SARA Title III Section 313

tetrapropylene derivs., sulfonated, sodium salts (CAS #: 119345-04-9), Nonylphenol polyethylene glycol ether (CAS #: 127087-87-0), 2-Butoxyethanol (CAS #: 111-76-2) 2-Butoxyethanol (CAS #: 111-76-2), Tetrasodium ethylenediamine tetraacetate (CAS #: 64-02-8) are subject to the reporting requirements of section 313 of Title III SARA.

States Right to Know

CA Proposition 65: This product contains chemicals that are known to the state of California to cause cancer, birth defects, or reproductive harm:

1,4-Dioxane (CAS #: 123-91-1)
 Ethylene oxide (CAS #: 75-21-8)

Massachusetts Right To Know: 1,4-Dioxane (CAS #: 123-91-1), Ethylene oxide (CAS #: 75-21-8), Potassium Hydroxide (CAS #: 1310-58-3)

New Jersey Right To Know: Nonylphenol polyethylene glycol ether (CAS #: 127087-87-0), Potassium Hydroxide (CAS #: 1310-58-3)

Pennsylvania Right To Know: Nonylphenol polyethylene glycol ether (CAS #: 127087-87-0), Potassium Hydroxide (CAS #: 1310-58-3)

Rhode Island Right To Know: Potassium Hydroxide (CAS #: 1310-58-3)

Inventory Status

Countries	Inventory Name	On Inventory (Yes/No)*
U.S.	CIL	Yes
Canada	DSL	Yes

- A “Yes” indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed.

16. Other Information

HMIS RATING

HMIS Legend

Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	3
Flammability	0
Reactivity	1
Personal Protection	B

Disclaimer

To the best of our knowledge, the information included herein is accurate. However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Issue date
Reason for Update
Supersedes date

November 17, 2022
 New Product